

DAFTAR PUSTAKA

- Adiguzel, Ahmet., K. Inan, F. Sahin, T. Arasoglu, M. Gulluce, A.S. Belduz and A. Baris. 2011. Molecular diversity of thermophilic bacteria isolated from Pasinler hot spring (Erzurum, Turkey). *Turky Journal Biology* 35 (267-274).
- Ahmad, Y. H. 2008. *Al-Quran Kitab Kedokteran*. Yogyakarta: Sajadah Press.
- Assiba'i, Musthafa Husni. 1993. *Kehidupan Social Menurut Islam*. Bandung: CV. Diponegoro.
- Azwar, Bahar. 2011. *Rahasia Segumpal Darah*. Jakarta: IDI.
- Bandara. dkk. Soetiarso, T.A., Jaya, B., Udiarto, B.K., Rosliani, R., Mussadad, D. 2004. *Profil Komoditas Kentang*. Balai Penelitian Tanaman Sayuran Pusat Penelitian Dan Pengembangan Hortikultura Badan Penelitian Dan Pengembangan Pertanian Departemen Pertanian.
- Brimecombe M.J., De Leij F.A., and Lynch J.M. 2001. The Effect of Root Exudates on Rhizosphere Microbial Populations. Di dalam: Pinton R, Varanini Z, Nannipieri P. Editors. *The rhizosphere: Biochemistry and Organic Substances at The Soil-Plant Interface*. New York: Marcel Dekker, Inc. 95-140.
- Bussema C. 3rd and Schmidt, T.M. 2009. rrnDB: Documenting The Number of rRNA and tRNA Genes in Bacteria and Archaea. *Nucleic Acids Res.* pp1-5
- Campbell, N.A. Jane B. R., Lawrence G. M., 2008. *Biologi JI*. 2 Ed. 5. Jakarta: Erlangga. Penerjemah: Wasmen Manalu.
- CIMMYT. 1998. Molecular marker applications to plant breeding. *In: Amboinet's First Training Workshop*, 9 November–4 Desember, El Batan, Mexico. 76p.
- Clarridge, J. 2004. Impact of 16S rRNA Gene Sequence Analysis for Identification of Bacteria on Clinical Microbiology and Infectious Diseases. *Clinical Microbiology Reviews*, Vol.17, No.4, p.840---862.
- Dewi, N.S. 2007. Kemampuan AntiFungi Bakteri Endofit Kelapa Sawit (*Elaeis guineensis* Jacq.) Terhadap *Ganoderma boninense* Pat. *Skripsi*. Sumatra Utara: USU.
- Dorsch, M., Asbolt, N.J., Cox, P.T., & Goodman, A.E. 1994. Rapid identification of *Aeromonas* species using 16S rDNA targeted oligonucleotide primer: a molecular approach based on screening of environmental isolates. *J. ao Applied Bacteriology*, 77: 722-726.

- Elavazhagan, T., S. Jayakumar, C. Chitravadivu and V. Balakrishnan, 2009. Isolation of Endophytic bacteria from the Invasive Alien Weed, *Mikania micrantha* and Their Molecular Characterisation. *American-Eurasian Journal of Scientific Research*. India. 4 (3): 154-158
- Ewing, E.E., and R.E. Keller. 1982. Limiting factors to the extension of potato into non-traditional climates. *Proc. Int. Congr. Research for the Potato in the Year 2000*. International Potato Centre. p. 37-40.
- Garbeva P, Van Veen JA, Van Elsas JD. 2004. Microbial Diversity in Soil: Selection of Microbial Populations by Plant and Soil Type and Implications for Disease Suppressiveness. *Annu. Rev. Phytopathol.* 42: 243-270.
- Gardenia, Lila, Isti K., Hambali S., dan Tatik M. 2010. Aplikasi deteksi *Aeromonas hydrophila* Penghasil Aerosin dengan menggunakan *Polymerase Chain Reaction* (PCR). Pusat Riset Perikanan Budidaya. *Prosiding Forum Inovasi Teknologi Akuakultur*. Jakarta. 80: 877 -883.
- Glaubitz, J.C., Strk, J. and Moran, G.F. (1999) Genetic impacts of different silvicultural practices in native eucalypt forests. In: Matyas, Cs (Ed) *Forest Genetics and Sustainability*. *Kluwer Academic Publishers*, Dordrecht, the Netherlands, pp 183-195.
- Griffin, H.G. and Griffin, A.M. 1993. DNA sequencing : Recent innovations and future trends. *J. Appl. Biochem and Biotech* 38: 147-159.
- Hallmann J. 2001. Plant interaction with endophytic bacteria. In: Jeger MJ, Spence NJ (ed). *Biotic Interaction in Plant-Pathogen Associations*. CAB International. p 87-119.
- Hawkes, J. G. 1990. *The potato, evolution, biodiversity, and genetic resources*. Balhaven Press, London.
- Kaga, H., Mano, H., Tanaka, F., Watanabe, A., Kaneko, S dan Morisaki, H. 2009. Rice Seeds as Sources of Endophytic Bacteria. *Microbes Environ.* Vol. 24, No. 2, 154–162.
- Kloepper J.W., Rodriguez-Kabana R, McInroy J.A., Young R.W. 1992. Rhizosphere bacteria antagonists to soybean cyst (*Heterodera glycines*) and root knot (*Meloidogyne incognita*) nematodes: identification by fatty acid analysis and foliar diseases. *Australasian Plant Pathol* 28:21-26.
- Kusumadewi, Tarranita. 2008. *Konsep Kota dalam Sinergis Al-Qur'an dalam Jurnal Studi Islam ULUL ALBAB*. Vol. 9, No. 2.
- Long, Hoang H., Furuya N., and Kurose D., 2003. Isolation of Endophytic Bacteria from *Solanum* Sp. and Their Antibacterial Activity agints Plant

- Pathogenic Bacteria. *Journal Faculty of Agriculture*, Kushu Univ. Vol. 48:21-28.
- MacPherson, J.M., Eckstein, P.E., Scoles, G.J., Gajadhar, A.A. 1993. Variability of the random amplified polymorphic DNA assay among thermal cyclers, and effects of primer and DNA concentration. *Mol Cell Probes* 7: 293–299.
- Madigan M.T., Martiko J.M., Parker J. 1997. Antibiotics: Isolation and Characterization, in: *Brook Biology of Microorganisms*, 8th edn. Prentice-Hall International Inc. New Jersey, pp. 440-442.
- Marchesi, J.R., T. Sato, A.J. Weightman, T.A. Martin and J.C. Fry *et al.* , 1998. Design and evaluation of useful bacterium-specific PCR Primers that amplify genes coding for bacterial 16S rRNA. *Applied Environ. Microbiol.* 64: 795-799.
- Meunier, J.R, Grimont, P.A. 1993. Factors affecting reproducibility of random amplified polymorphic DNA fingerprinting. *Res. Microbiol.* 144: 373-379.
- Moat, A.G., J.W. Foster and M.P. Spector, 2002. *Lipid and Sterol in Microbial Physiology*. 4th Edn., Wiley and Sons, Inc., New York, pp: 450-464.
- Pelczar, M.J. and E.C.S. Chan. 2008. *Dasar-dasar mikrobiologi*. Jakarta: UI Press. Penerjemah, Ratna Siri Hadioetomo.
- Permadi, A.H. 1989. *Asal-Usul dan Penyebaran Kentang*. Balai Penelitian Hortikultura, Lembang.
- Prakamhang, Janpen. 2007. Microbial Communities and Their nifh Gene Expression in Rice Endophytic Diazotroph Bacteria. A Thesis Submitted in Partial Fulfillment of the Requirements for the Degree of Master of Science in Biotechnology Suranaree University of Technology. Thailand
- Promega. 2006. Life science catalog. *Promega corporation*. USA: Woods Hollow Road Madison.
- Stobel, G. and B. Daisy. 2003. Bioprospecting for Microbial Endophytes and Their *Natural Products*. *Microbiol Mol. Biol Rev.* 2003 December; 67 (4): 491-502.
- Strobel G.A., R.V. Miller, C. Miller, M. Condrón, D.B. Teplow, and W.M. Hess. 2002. Cryptocandin, a potent antimycotic from endophytic fungus *Cryptosporiosis quercina*. *Microbiology* 145: pp. 1919-1926.
- Sunarjono, H. 1975. *Budidaya kentang*. N.V. Soeroengan, Jakarta.
- Supriadi 2006. Analisis risiko agens hayati untuk pengendalian patogen pada tanaman. *J Lit Pert* 25: 75-80.

- Suriaman, E. 2010. Potensi Bakteri Endofit dari Akar Tanaman Kentang (*Solanum tuberosum*) dalam Memfiksasi N₂ di Udara dan Menghasilkan Hormon IAA (*Indol Acetid Acid*) Secara In Vitro. *Skripsi*. Malang: UIN MMI.
- Suryanto, D. 2001. *Selection and charactization of bacterial isolates for monocytic aromatic degradation*. IPB bogor.
- Suwanto A., dan B. Tjahjono. 1994. Populasi Bakteri Endofit Sebagai Senyawa Bioaktif. *Jurnal Hayati* 3, 26-30.
- Soemantri, I. H., S.J. ri, Minantyorini, A.D. Ambarwati, A.Sisharmini, dan A.Apriana. 2002. *Karakterisasi Molekuler Plasma Nutfah Tanaman Pangan*. Fakultas Perikanan dan Ilmu Kelautan. Institut Pertanian Bogor.
- Soewardi, K. 2007. Pengelolaan Keragaman Genetik Sumberdaya Perikanan dan Kelautan. *Departemen Manajemen Sumberdaya Perairan Fakultas Perikanan dan Ilmu Kelautan*. Institut Pertanian Bogor.
- Suwarno, Willy Bayuardi. 2008. Sistem Pembenihan Kentang di Indonesia. Jakarta: Penebar Swadaya.
- Tan, R.X. and W.X. Zou. 2001. *Endophytes a rich source of functional metabolites*. *Nat. prod. Rep.* 18: 448-459.
- Vos, P., Hogers, R., Bleeker, M., Reijans, M., van de Lee, T., Hornes, M., Fritjters, A., Pot., J., Peleman, J., Kuiper, M., Zabeau, M. 1995. AFLP: A New Technique for DNA Fingerprinting. *Nucl Acids Res* 23: 4407-4414
- Wardhani, H.A.K. 2010. Isolasi dan Identifikasi Bakteri Endofit dari Akar Tanaman Kentang Sebagai Anti Nematoda Sista Kuning (*Globodera rostochiensis*). *Skripsi*. Malang: UIN MMI.
- Wattimena, G.A., L.W. Gunawan, N. Massjik, E. Syamsudin, Ni Made A Wiendi A., dan Ernawati. 1991. *Bioteknologi tanaman*. Pusat Antar Universitas Bioteknologi Institut Pertanian Bogor, Bogor.
- Weisburg W.G., S.M. Barns; D.A. Pelletier and D.J. Lane. 1991. 16S ribosomal DNA amplification for phylogenetic study. *J. Bacteriol.* January 1991 vol. 173 no. 2: 697-703.
- Yang C.H., Crowley D.E. 2000. Rhizosphere microbial community structure in relation to root location and plant iron nutritional status. *Appl. Environ. Microbiol.* 66: 461-465.
- Yu Z, Mohn W.W. 2001. Bacterial diversity and Community Structure in an aerated revealed by ribosomal DNA Sequencing. *Appl. Environ Microbiol* 67:1565-1574.

- Yu, K., K.P. Pauls. 1992. Optimization of the PCR program for RAPD analysis. *Nucl. Acids Res.* 20:2606.
- Yusuf, A., Ichinose, Y., Shiraishi, T and Yamada, T. 1999. Genetic modification of Mutualistic Fungal Acremonium Endophyte. *Scientific Journal of the Faculty of Agriculture, Okayama University, Japan.* Vol. 87:99-107.
- Yuwono, T. 2005. *Biologi Molekuler*. Jakarta: Erlangga.
- Zinniel DK, Lambrecht P, Harris NB, Feng Z, Kuczmarski D, Higley P, Ishimaru C, Arunakumari IA, Barletta RG, Vidaver AK (2002) Isolation and characterization of endophytic colonizing bacteria from agronomic crops and prairie plants. *Appl Environ Microbiol.* 68: 2198–2208.